

Ashleigh&Burwood

Issue date: 07/04/2016 Version: 2 (07/04/2016)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Coconut & Lychee Lamp Fragrance PFL1114/1214

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Coconut & Lychee Lamp Fragrance PFL1114/1214(Contains:Isopropyl alcohol)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Lamp Fragrance

1.3 Details of the supplier of the safety data sheet

Company name: Ashleigh & Burwood Ltd
Company address: 328-334 Molesey Road

Walton-on-Thames

Surrey KT12 3PD United Kingdom

Contact: Regulatory Affairs

E-Mail address: info@ashleigh-burwood.co.uk

Company phone: 01932 267060 1.4 Emergency telephone number

Emergency phone: 01932 267060

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of

danger:

Flammable Liquid, Hazard Category 2

Eye Damage / Irritation Category 2

Specific Target Organ Toxicity (Single Exposure) Category 3

H225, Highly flammable liquid and vapour.

H319, Causes serious eye irritation.

H336, May cause drowsiness or dizziness.

Classification under Directive 1999/45/EC

Hazard symbols: F, Highly flammable.

Xi, Irritant.

Risk phrases: R11, Highly flammable.

R36, Irritating to the eyes.

R67, Vapours may cause drowsiness and dizziness.





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Coconut & Lychee Lamp Fragrance PFL1114/1214

Version: 2

2.2 Label elements

Signal word: Danger

Hazard statements: H225, Highly flammable liquid and vapour.

H319, Causes serious eye irritation.

H336, May cause drowsiness or dizziness.

Supplemental Information:

None

Precautionary statements:

P102, Keep out of reach of children.

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P240, Ground/bond container and receiving equipment.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P271, Use only outdoors or in a well-ventilated area.

P280, Wear protective gloves/eye protection/face protection.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304/340, IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312, Call a POISON CENTRE or doctor/physician if you feel unwell.

P337/313, If eye irritation persists: Get medical advice/attention.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P403/233/235, Store in a well-ventilated place. Keep container tightly closed. Keep cool.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations

regulations.

Pictograms:



Other hazards: None





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Coconut & Lychee Lamp Fragrance PFL1114/1214

Version: 2

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008
Isopropyl alcohol	67-63-0	200-661-7		50-100%		FL 2-EDI 2-STO-SE 3 (NE);H225-H319-H336,
d-Limonene	5989-27-5	227-813-5		<0.1%	Xn-N; R10-R38-R43-R65- R50/53	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
beta-Pinene	127-91-3	204-872-5		<0.1%	Xn ; R10-R38-R43-R65	FL 3-SCI 2-SS 1B-AH 1;H226-H304-H315- H317,-
p-Mentha-1,4-diene	99-85-4	202-794-6		<0.1%	Xn ; R10-R65	FL 3-AH 1;H226-H304,
Myrcene	123-35-3	204-622-5		<0.1%	Xn ; R10-R38-R65	FL 3-SCI 2-EDI 2-AH 1; H226-H304-H315- H319,-
alpha-Pinene	80-56-8	201-291-9		<0.1%	Xn ; R10-R38-R43-R65	FL 3-SCI 2-SS 1B-AH 1;H226-H304-H315- H317,-

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Isopropyl alcohol	67-63-0	200-661-7	89.10%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTRE or doctor/physician if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Coconut & Lychee Lamp Fragrance PFL1114/1214

Version: 2

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Lamp Fragrance: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Coconut & Lychee Lamp Fragrance PFL1114/1214

Version: 2

Ingredient	CAS	EC	Description			Reference
Isopropyl alcohol	67-63-0 2	200-661-7	Long-term exposure limit (8-hour TWA reference period)	400	luuu	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	500	コンちロ	UK EH40 Oct 2007

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Clear liquid.

Odour: Alcoholic.

pH: Not determined

Initial boiling point / range: $\geq 82 \,^{\circ}\text{C}$ Flash point: $\geq 12 \,^{\circ}\text{C}$

Vapour pressure:Not determinedRelative density:Not determinedSolubility(ies):Not determined9.2 Other information:None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Coconut & Lychee Lamp Fragrance PFL1114/1214

Version: 2

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Causes serious eye irritation.

May cause drowsiness or dizziness.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity:

Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity:

Not Applicable

Not Applicable

Not Available

Inhalation Route:

Not Available

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity: Not available
12.2 Persistence and degradability: Not available
12.3 Bioaccumulative potential: Not available
12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Coconut & Lychee Lamp Fragrance PFL1114/1214

Version: 2

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN1266

14.2 UN Proper Shipping Name: PERFUMERY PRODUCTS

14.3 Transport hazard class(es): 3

Sub Risk: -

14.4. Packing Group:

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user:None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EDI 2=11.22% STO-SE 3(NE)=22.45%

Total Fractional Values: EDI 2=8.91 STO-SE 3(NE)=4.46

Key to revisions:

14.1. UN number

14.2. UN proper shipping name

Key to abbreviations:

Abbreviation	Meaning	
AH 1	Aspiration Hazard Category 1	
EDI 2	Eye Damage / Irritation Category 2	
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
FL 2	Flammable Liquid, Hazard Category 2	
FL 3	Flammable Liquid, Hazard Category 3	





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Coconut & Lychee Lamp Fragrance PFL1114/1214

Version: 2

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes drowsiness or dizziness. H410 Very toxic to aquatic life with long lasting effects. H410 Very lasting effects.	Lucas		
H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic to acquatic life with long lasting effects. H410 Very toxic long effects. H410 Very toxic long effects. H410 Very toxic long equipment. H410 Very expendition of under contacted skin throughly after handling. H410 Very toxic long equipment. H410 Very expendition of under contacted skin throughly after handling. H410 Very expendition of under contacted skin throughly after handling. H410 Very toxic long expensive signals static discharge. H410 Very expensive long expensive signals static discharge handling. H410 Very expensive long expensive signals static discharge handling. H410 Very expensive long expensive signals static discharge handling. H410 Very expensive long e			
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H338 May cause drowsiness or dizziness. H410 Very toxic to aqualic life with long lasting effects. H410 Very toxic to aqualic life with long lasting effects. H410 Keep away from heat, sparks, open flames and hot surfaces No smoking. H410 Keep away from heat, sparks, open flames and hot surfaces No smoking. H410 Cause of Caround'bond container and receiving equipment. H410 Caround'bond container and receiving equipment. H410 Caround'bond container and receiving equipment. H411 Caround'bond container and receiving equipment. H411 Caround'bond container and receiving equipment. H412 Caround'bond container and receiving equipment. H414 Caround'bond container and receiving equipment. H415 Caround'bond container and receiving equipment. H415 Caround'bond container and receiving equipment. H416 Caround'bond container and receiving equipment. H417 Caround'bond container and receiving equipment. H417 Caround'bond container and receiving equipment. H417 Caround'bond container and receiving equipment. H418 Caround'bond container to approve disposal site, in accordance with local	· ·		
May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. Responsibility of the drowsing decirical spartition of the surfaces No smoking. Responsibility of Ground/bond container and receiving equipment. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Avoid breathing vapour or dust. P245 Avoid breathing vapour or dust. P246 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective glowes/eye protection/face protection. P301/310 IF SWALLOWED: immediately call a POISON CENTER or doctor/physician. P303/341/353 IF ON SKIN (or hair): Removerator for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P303/3413 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation occurs: G	H304		
Causes serious eye irritation. May cause drowsiness or dizziness. May Cause drowsiness. May Cause drowsines. May Cau	H315	Causes skin irritation.	
May cause drowsiness or dizziness. May cause drowsiness or dizziness. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. R233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Avoid breathing vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P281/331 IF SWALLOWED: Immediately cell a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing, Rinse skin with water/shower. P306/351/338 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P332/313 If Skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation occurs: Get medical advice/attention. P3480 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P4991 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep cool. P406 Store tocked up. Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI Skin Corrosion / Irritation category 2 SS 18	H317	May cause an allergic skin reaction.	
Very toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.	
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P303/1310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P304/340 IF INFALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305/351/338 IF IN EVES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Centrue rinsing. P3311 Do not induce vorniting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin i	H336	May cause drowsiness or dizziness.	
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clother environment. P280 Wear protective gloves/eye protection/face protection. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove virole set in mediately all contaminated clothing. Ritise skin with water/shower. P304/340 IF INEYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Centrole insien. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomitting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention.	H410	Very toxic to aquatic life with long lasting effects.	
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P246 Wash hands and other contacted skin thoroughly after handling. P268 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P333/313 If ske off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 1B	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.	
P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INNEXES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation persists: Get medical advice/attention. P333/313 If skin irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation - Category 1B	P233	Keep container tightly closed.	
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305/351/338 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If fskin irritation occurs: Get medical advice/attention. P333/313 If fskin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P340/2737 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P340/323/325 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 1B	P240	Ground/bond container and receiving equipment.	
P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INNELD: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTEE or doctor/physician if you feel unwell. P331 Do not induce vomitting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep colsainer tightly closed. Keep cool. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 1B	P241	Use explosion-proof electrical, ventilating and lighting equipment.	
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation persists: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/236 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store lose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B	P242	Use only non-sparking tools.	
P264 Wash hands and other contacted skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep cool. P405 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B	P243	Take precautionary measures against static discharge.	
P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/373 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 1B	P261	Avoid breathing vapour or dust.	
Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B	P264	Wash hands and other contacted skin thoroughly after handling.	
Avoid release to the environment. Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B	P271	Use only outdoors or in a well-ventilated area.	
P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 1B	P272	Contaminated work clothing should not be allowed out of the workplace.	
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 1B	P273	Avoid release to the environment.	
P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P280	Wear protective gloves/eye protection/face protection.	
P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 1B	P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.	
P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 1B	P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P305/351/338		
P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P312	Call a POISON CENTRE or doctor/physician if you feel unwell.	
P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P331	Do not induce vomiting.	
P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P332/313	If skin irritation occurs: Get medical advice/attention.	
P362 Take off contaminated clothing and wash before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P333/313	If skin irritation or rash occurs: Get medical advice/attention.	
P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P337/313	If eye irritation persists: Get medical advice/attention.	
P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P362	Take off contaminated clothing and wash before reuse.	
P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.	
P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P391	Collect spillage.	
P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.	
P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P403/235	Store in a well-ventilated place. Keep cool.	
SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B	P405	Store locked up.	
SS 1B Sensitization - Skin Category 1B	P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.	
	SCI 2	Skin Corrosion / Irritation Category 2	
	SS 1B	Sensitization - Skin Category 1B	
	STO-SE 3(NE)		

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.